plasticase
NANUK™
PROFESSIONAL PROTECTIVE CASES

NANUK™
PROFESSIONAL PROTECTIVE CASES

The Inuit people of the great north call him **NANUK**.
Thriving in an unforgiving landscape, the polar bear has evolved to survive the challenges of the freezing temperatures, frigid waters and ice covered terrain of the arctic. As one of earth's most resilient predators, the great white bear is the inspiration behind our name: strong and fearless, designed to survive in the harshest conditions.
[na·nook]
INUIT FOR "POLAR BEAR"
plasticase

ORGANIZE, PROTECT
AND CARRY

About Us

Plasticase began manufacturing plastic cases in 1984 under the name Resentel Ltd. A few years later, after the company's ownership was restructured, Plasticase emerged with a clear mission: design, engineer and manufacture the highest quality injection molded plastic cases in the world.

As the company evolved, demand for an innovative line of robust waterproof cases became evident. Plasticase moved forward with a bold response: NANUK™ "The Evolution of Protection", a complete line of waterproof and impact resistant protective cases rated for military, law enforcement and professional users. With innovative features like the patented Powerclaw latch, rugged NK-7 resin and a distinctive style, NANUK™ instantly earned global recognition while capturing significant international market share. NANUK™ professional protective cases are now distributed in over 50 countries worldwide.

Plasticase has the in-house ability to design and manufacture innovative custom solutions for our clients with state of the art production facilities and multidisciplinary teams including specialists in thermoplastics engineering and tooling, industrial design, mold making, graphic design and manufacturing.

Complimented by a large selection of optional accessories and an incredible degree of customizability, NANUK™ is the best choice to move your equipment in complete security. Whether transporting valuable equipment around the world or simply protecting sensitive tools in the urban jungle, NANUK™ is up to the challenge.



NANUK™ | extreme duty cases
RUGGED. WATERPROOF.
GUARANTEED FOR LIFE.

NANUK™ protective cases are the result of years of testing both in the lab and on the field and offer unrivaled protection in a variety of sizes, configurations and colors, with its patented PowerClaw latching system and NK-7 resin outer shell, NANUK™ is built for nature's most unforgiving conditions.

Rugged, waterproof and guaranteed for life, all NANUK™ cases are designed to withstand the smallest tumbles to the biggest shocks and everything in between. When it needs to get there in one piece, it needs to go in a NANUK™.

NANUK™ features

1. Powerclaw latching system
2. Waterproof IP67 rated
3. Impact Resistant NK-7 resin
4. Padlockable
5. Shoulder strap attachment
6. Stackable
7. Integrated bezel system
8. Soft grip foldable handle
9. Integrated lid stay
10. Stainless steel hardware

NANUK™ features

Powerclaw superior latching system

U.S. Patent 8,297,464

The patented PowerClaw Latching System used on all NANUK™ cases is engineered to keep your case closed during the toughest of missions. The PowerClaw clamps the case tightly closed using compressive force while the integrated slide lock prevents the case from opening during transport or when dropped. The super tough nylon construction ensures your precious items remain safely inside the case no matter where the journey takes you.

Waterproof - IP67 rated

Water and dirt are the enemies of sensitive equipment. NANUK™ cases are IP67 rated to ensure that your equipment stays dry and dust free. An IP67 rating requires the case to be watertight to a depth of 1m (3.3ft) for a period of 30 minutes and to be impervious to dust.

Automatic pressure release valve

Changes in altitude and geographic location creates a vacuum which can effectively seal a case shut. NANUK™'s integrated auto-pressure valve equalizes this atmospheric pressure difference. Using state-of-the-art technology, the micro vent allows air to pass through while preventing water from entering.

Seal

The seal used in all NANUK™ cases is custom designed to fit our cases. The seal is constructed of high quality EPDM to minimize material deformation and fatigue and provide a watertight seal that will last.

Indestructible NK-7 resin

NANUK™ was designed with one objective in mind: survival. With rounded corners, thick wall construction and oversized details, NANUK™ is built to absorb the shocks without compromising the case or more importantly your contents.

Based on Plasticase's years of experience in the plastics industry, our new NK-7 resin was developed specifically for the demanding conditions that NANUK™ will be exposed to. Highly impact resistant, light, and rugged, our NK-7 resin can withstand nature's extremes.

Certifications

NANUK™ is tough and durable, but don't just take our word for it. NANUK™ cases were tested by an independent testing laboratory for compliance with the following standards:

ATA Specification 300
Category 1 Impact
ASTM D-4169 DC-18 Drop - Vibration - Rainfall
MIL-STD-810F Immersion
IP67 Ingress protection

NANUK™ cases tested were awarded certification after successfully completing the tests. Visit **nanuk.com** to find out more.

NANUKNANO®

The NANUK NANO® is the perfect protective case for your smaller valuable items. This lightweight impact resistant case series is sure to keep its contents safe and dry with the patented PowerClaw latching system and water resistant design (IP65*).

BIG PROTECTION
IN A COMPACT SIZE

310

Interior dimensions L5.2” × W3.0” × H1.1”
L131mm × W77mm × H28mm

Exterior dimensions L5.9” × W4.3” × H1.7”
L149mm × W110mm × H43mm

Weight (empty) 0.6 lbs | 0.3 kg

Lid depth 0.2” | 6mm

Base depth 0.9” | 22mm

Available colors

320

Interior dimensions L5.9” × W3.3” × H1.5
L151mm × W85mm × H39mm

Exterior dimensions L6.3” × W4.7” × H2.2”
L161mm × W118mm × H55mm

Weight (empty) 0.8 lbs | 0.4 kg

Lid depth 0.3” | 9mm

Base depth 1.2” | 30mm

Available colors

330

Interior dimensions L6.7” × W3.8” × H1.9”
L170mm × W96mm × H49mm

Exterior dimensions L7.4” × W5.1” × H2.6”
L188mm × W130mm × H65mm

Weight (empty) 1.1 lbs | 0.5 kg

Lid depth 0.5” | 13mm

Base depth 1.4” | 36mm

Available colors

NANUKNANO® features

1. Powerclaw latching system
2. Protective web
3. Smart strap
4. Rubberized interior
5. Pressure equalizer valve
6. Polycarbonate shell
7. Molded seal
8. Impact bumpers
9. Belt loops
10. Carabiner loop

*Not for use when diving or swimming

NANUK™ | small cases

BUILT TO WITHSTAND
THE ELEMENTS

903

Interior dimensions L7.4” x W4.9” x H3.1”
L188mm x W124mm x H79mm

Exterior dimensions L9.1” x W6.8” x H3.8”
L231mm x W173mm x H97mm

Weight (empty) 1.3 lbs | 0.6 kg

Lid depth 0.5” | 13mm

Base depth 2.6” | 66mm

Available colors

904

Interior dimensions L8.4” x W6.0” x H3.7”
L213mm x W152mm x H94mm

Exterior dimensions L10.2” x W7.9” x H4.5”
L259mm x W201mm x H114mm

Weight (empty) 1.6 lbs | 0.7 kg

Lid depth 0.8” | 20mm

Base depth 2.9” | 74mm

Available colors

905

Interior dimensions L9.4” x W7.4” x H5.5”
L239mm x W188mm x H140mm

Exterior dimensions L12.5” x W10.1” x H6.0”
L318mm x W257mm x H152mm

Weight (empty) 3.3 lbs | 1.5 kg

Lid depth 1.4” | 36mm

Base depth 4.1” | 104mm

Available colors

908

Interior dimensions L9.5” × W7.5” × H7.5”
L241 mm ×W190 mm × H190 mm

Exterior dimensions L12.5” × W9.8” × H8.0”
L318 mm × W249 mm × H203 mm

Weight (empty) 3.2 lbs | 1.5 kg

Lid depth 1.4” | 35 mm

Base depth 6.1” | 155 mm

Available colors

909

Interior dimensions L11.4” × W7.0” × H3.7”
L291 mm ×W178 mm × H93 mm

Exterior dimensions L12.6” × W9.0” × H4.4”
L321 mm × W229 mm × H111 mm

Weight (empty) 2.2 lbs | 1.0 kg

Lid depth 1.3” | 33 mm

Base depth 2.4” | 60 mm

Available colors

Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

THE CHOICE OF **PROFESSIONALS**

Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

910

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (empty) 3.0 lbs | 1.4 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors

915

Interior dimensions L13.8" x W9.3" x H6.2"
L351mm x W236mm x H157mm

Exterior dimensions L15.4" x W12.1" x H6.8"
L401mm x W307mm x H173mm

Weight (empty) 4.4 lbs | 2.0 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors

918

Interior dimensions L14.9" x W9.8" x H8.6"
L378mm x W249mm x H218mm

Exterior dimensions L16.9" x W12.9" x H9.3"
L429mm x W328mm x H236mm

Weight (empty) 6.4 lbs | 2.9 kg

Lid depth 2.1" | 53mm

Base depth 6.5" | 165mm

Available colors

920

Interior dimensions L15.0" x W10.5" x H6.2"
L381mm x W267mm x H157mm

Exterior dimensions L16.7" x W13.4" x H6.8"
L424mm x W340mm x H173mm

Weight (empty) 5.1 lbs | 2.3 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors

923

Interior dimensions L16.7" x W11.3" x H5.4"
L424mm x W287mm x H137mm

Exterior dimensions L18.6" x W14.4" x H6.3"
L472mm x W366mm x H160mm

Weight (empty) 5.9 lbs | 2.7 kg

Lid depth 1.8" | 46mm

Base depth 3.6" | 91mm

Available colors

923 Laptop

Interior dimensions L16.7" x W11.3" x H5.4"
L424mm x W287mm x H137mm

Exterior dimensions L18.6" x W14.4" x H6.3"
L472mm x W366mm x H160mm

Weight (empty) 5.9 lbs | 2.7 kg

Lid depth 1.8" | 46mm

Base depth 3.6" | 91mm

Available colors

NANUK™ | large cases

EMERGENCY
READY

925

Interior dimensions L17.0" x W11.8" x H6.4"
L432mm x W300mm x H163mm

Exterior dimensions L18.7" x W14.8" x H7.0"
L475mm x W376mm x H178mm

Weight (empty) 6.2 lbs | 2.8 kg

Lid depth 2.1" | 53mm

Base depth 4.3" | 108mm

Available colors

930

Interior dimensions L18.0" x W13.0" x H6.9"
L457mm x W330mm x H175mm

Exterior dimensions L19.8" x W16.0" x H7.6"
L503mm x W406mm x H193mm

Weight (empty) 7.1 lbs | 3.2 kg

Lid depth 2.1" | 53mm

Base depth 4.8" | 121mm

Available colors

933

Interior dimensions L18.0" x W13.0" x H9.5"
L457mm x W330mm x H241mm

Exterior dimensions L19.9" x W16.1" x H10.1"
L505mm x W409mm x H257mm

Weight (empty) 8.0 lbs | 3.6 kg

Lid depth 2.1" | 53mm

Base depth 7.4" | 188mm

Available colors

940

Interior dimensions L20.0" x W14.0" x H8.0"
L508mm x W356mm x H203mm

Exterior dimensions L21.7" x W16.9" x H8.5"
L557mm x W429mm x H216mm

Weight (empty) 8.4 lbs | 3.8 kg

Lid depth 2.1" | 53mm

Base depth 5.9" | 150mm

Available colors

945

Interior dimensions L22.0" x W17.0" x H8.2"
L559mm x W432mm x H208mm

Exterior dimensions L25.1" x W19.9" x H8.8"
L638mm x W505mm x H224mm

Weight (empty) 10.6 lbs | 4.8 kg

Lid depth 2.1" | 53mm

Base depth 6.1" | 155mm

Available colors

Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

NANUK™ | wheeled cases

DESIGNED TO
GO PLACES

935

Interior dimensions L20.5" x W11.3" x H 7.5"
L521mm x W287mm x H191mm

Exterior dimensions L22.0" x W14.0" x H9.0"
L559mm x W356mm x H229mm

Weight (empty) 11.6 lbs | 5.3 kg

Lid depth 2.1" | 53mm

Base depth 5.4" | 137mm

Available colors

938

Interior dimensions L21.5" x W12.5" x H 11.6"
L546mm x W318mm x H294mm

Exterior dimensions L23.8" x W15.5" x H13.2"
L605mm x W394mm x H336mm

Weight (empty) 14.55 lbs | 6.35 kg

Lid depth 2.1" | 53mm

Base depth 9.5" | 241mm

Available colors

950

Interior dimensions L20.5" x W15.3" x H 10.1"
L521mm x W389mm x H257mm

Exterior dimensions L22.8" x W18.3" x H11.7"
L579mm x W465mm x H297mm

Weight (empty) 15.1 lbs | 6.8 kg

Lid depth 2.1" | 53mm

Base depth 8.0" | 203mm

Available colors

955

Interior dimensions L22.0" x W17.0" x H 10.2"
L559mm x W432mm x H259mm

Exterior dimensions L25.6" x W20.0" x H11.8"
L650mm x W508mm x H300mm

Weight (empty) 18.40 lbs | 8.16 kg

Lid depth 2.1" | 53mm

Base depth 8.1" | 206mm

Available colors

960

Interior dimensions L22.0" x W17.0" x H12.9"
L559mm x W432mm x H328mm

Exterior dimensions L25.4" x W20.0" x H14.5"
L645mm x W508mm x H368mm

Weight (empty) 19.2 lbs | 8.7 kg

Lid depth 2.1" | 53mm

Base depth 10.8" | 274mm

Available colors

963

Interior dimensions L29.0" x W18.0" x H10.6"
L737mm x W457mm x H269mm

Exterior dimensions L32.5" x W21.0" x H12.3"
L826mm x W533mm x H312mm

Weight (empty) 22.50 lbs | 10.2 kg

Lid depth 2.1" | 53mm

Base depth 8.5" | 216mm

Available colors

NEW

965

Interior dimensions L29.0" x W18.0" x H 14"
L737mm x W457mm x H356mm

Exterior dimensions L32.5" x W21.1" x H16"
L826mm x W536mm x H406mm

Weight (empty) 25.05 lbs | 11.36 kg

Lid depth 2.1" | 53mm

Base depth 11.9" | 302mm

Available colors

NEW

968

Interior dimensions L21.5" x W21.5" x H11.8"
L546mm x W546mm x H300mm

Exterior dimensions L25.0" x W24.7" x H13.6"
L610mm x W627mm x H345mm

Weight (empty) TBD

Lid depth 2.1" | 53mm

Base depth 9.5" | 241mm

Available colors

NEW

970

Interior dimensions L24.0" x W24.0" x H14.2"
L610mm x W610mm x H361mm

Exterior dimensions L27.5" x W27.2" x H16.0"
L699mm x W691mm x H406mm

Weight (empty) TBD

Lid depth 2.3" | 58mm

Base depth 11.9" | 302mm

Available colors

NEW

975

Interior dimensions L30.0" x W21.0" x H18.0"
L762mm x W533mm x H457mm

Exterior dimensions L25.0" x W24.7" x H13.6"
L610mm x W627mm x H345mm

Weight (empty) TBD

Lid depth 3.5" | 89mm

Base depth 14.5" | 368mm

Available colors

DEPLOYMENT
READY

NEW

985

Interior dimensions L36.6" x W14.5" x H6.0"
L930mm x W368 mm x H152mm

Exterior dimensions L39.8" x W17.3" x H6.6"
L1010mm x W440mm x H168mm

Weight (empty) 15.3 lbs | 6.9 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

990

Interior dimensions L44.0" x W14.5" x H6.0"
L1118mm x W368mm x H152mm

Exterior dimensions L47.1" x W17.3" x H6.6"
L1196mm x W440mm x H168mm

Weight (empty) 17.8 lbs | 8.1 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

995

Interior dimensions L52.0" x W14.5 " x H6.0"
L1321mm x W368mm x H152mm

Exterior dimensions L55.1" x W17.3" x H6.6"
L1399mm x W440mm x H168mm

Weight (empty) 21.6 lbs | 9.8 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating

All NANUK™ cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions.

MEDIA
CASE SERIES

905 DJI™ Spark

Interior dimensions L9.4" x W7.4" x H5.5"
L239mm x W188mm x H140mm

Exterior dimensions L12.5" x W10.1" x H6.0"
L318mm x W257mm x H152mm

Weight (with foam) 3.6 lbs | 1.6 kg

Lid depth 1.4" | 36mm

Base depth 4.1" | 104mm

Available colors

910 DJI™ Osmo

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (with foam) 3.5 lbs | 1.6 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors

910 DJI™ Mavic Air

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (with foam) 3.5 lbs | 1.6 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors

915 DJI™ Mavic Air Fly More

Interior dimensions L13.8" x W9.3" x H6.2"
L351mm x W236mm x H157mm

Exterior dimensions L15.8" x W12.1" x H6.8"
L401mm x W307mm x H173mm

Weight (with foam) 5.2 lbs | 2.4 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors

915 DJI™ Spark Fly More

Interior dimensions L13.8" x W9.3" x H6.2"
L351mm x W236mm x H157mm

Exterior dimensions L15.8" x W12.1" x H6.8"
L401mm x W307mm x H173mm

Weight (with foam) 5.2 lbs | 2.4 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors

920 DJI™ Mavic 2 Pro | Zoom

Interior dimensions L15.0" x W10.5" x H6.2"
L381mm x W267mm x H157mm

Exterior dimensions L16.7" x W13.4" x H6.8"
L424mm x W340mm x H173mm

Weight (with foam) 5.9 lbs | 2.7 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors

NANUK™ | media case series

BUILT TO SURVIVE
THE JOURNEY

923 DJI™ Ronin-S

Interior dimensions	L16.7" x W11.3" x H5.4" L424mm x W287mm x H137mm
Exterior dimensions	L18.6" x W14.4" x H6.3" L472mm x W366mm x H160mm
Weight (with foam)	6.9 lbs | 3.1 kg
Lid depth	1.8" | 46mm
Base depth	3.6" | 91mm
Available colors	

940 DJI™ Ronin-M

Interior dimensions	L20.0" x W14.0" x H8.0" L508mm x W356mm x H203mm
Exterior dimensions	L21.7" x W16.9" x H8.5" L557mm x W429mm x H216mm
Weight (with foam)	10.4 lbs | 4.7 kg
Lid depth	2.1" | 53mm
Base depth	5.9" | 150mm
Available colors	

945 DJI™ Phantom 4

Interior dimensions	L22.0" x W17.0" x H8.2" L559mm x W432mm x H208mm
Exterior dimensions	L25.1" x W19.9" x H8.8" L638mm x W505mm x H224mm
Weight (with foam)	12.6 lbs | 5.7 kg
Lid depth	2.1" | 53mm
Base depth	6.1" | 155mm
Available colors	

950 DJI™ Phantom 4

Interior dimensions	L20.5" x W15.3" x H 10.1" L521mm x W389mm x H257mm
Exterior dimensions	L22.8" x W18.3" x H11.7" L579mm x W465mm x H297mm
Weight (with foam)	16.5 lbs | 7.5 kg
Lid depth	2.1" | 53mm
Base depth	8.0" | 203mm
Available colors	

960 Black Magic URSA

Interior dimensions	L22.0" x W17.0" x H12.9" L559mm x W432mm x H328mm
Exterior dimensions	L25.4" x W20.0" x H14.5" L645mm x W508mm x H368mm
Weight (with foam)	22.3 lbs | 10.1 kg
Lid depth	2.1" | 53mm
Base depth	10.8" | 274mm
Available colors	

960 DJI™ Ronin-MX

Interior dimensions	L22.0" x W17.0" x H12.9" L559mm x W432mm x H328mm
Exterior dimensions	L25.4" x W20.0" x H14.5" L645mm x W508mm x H368mm
Weight (with foam)	23.6 lbs | 10.7 kg
Lid depth	2.1" | 53mm
Base depth	10.8" | 274mm
Available colors	

NANUK™ | media case series

DESIGNED FOR A **PERFECT FIT**

NEW

909 DJI™ Osmo Action

Interior dimensions L11.4" x W7.0" x H3.7"
L291 mm xW178 mm x H93 mm

Exterior dimensions L12.6" x W9.0" x H4.4"
L321 mm x W229 mm x H111 mm

Weight (with foam) 2.4 lbs | 1.1 kg

Lid depth 1.3" | 33 mm

Base depth 2.4" | 60 mm

Available colors

NEW

920 Sony ® A7R

Interior dimensions L15.0" x W10.5" x H6.2"
L381mm x W267mm x H157mm

Exterior dimensions L16.7" x W13.4" x H6.8"
L424mm x W340mm x H173mm

Weight (with foam) 5.9 lbs | 2.7 kg

Lid depth 2.1" | 53mm

Base depth 4.1" | 104mm

Available colors

NEW

925 DJI™ Mavic 2+Smart Controller

Interior dimensions L17.0" x W11.8" x H6.4"
L432mm x W300mm x H163mm

Exterior dimensions L18.7" x W14.8" x H7.0"
L475mm x W376mm x H178mm

Weight (with foam) 7.1 lbs | 3.2 kg

Lid depth 2.1" | 53mm

Base depth 4.3" | 108mm

Available colors

933 DJI™ Phantom 4

Interior dimensions L18.0" x W13.0" x H9.5"
L457mm x W330mm x H241mm

Exterior dimensions L19.9" x W16.1" x H10.1"
L505mm x W409mm x H257mm

Weight (with foam) 9.3 lbs | 4.1 kg

Lid depth 2.1" | 53mm

Base depth 7.4" | 188mm

Available colors

NEW

935 Sony ® A7R

Interior dimensions L20.5" x W11.3" x H 7.5"
L521mm x W287mm x H191mm

Exterior dimensions L22.0" x W14.0" x H9.0"
L559mm x W356mm x H229mm

Weight (with foam) 13.1 lbs | 5.9 kg

Lid depth 2.1" | 53mm

Base depth 5.4" | 137mm

Available colors

NEW

945 ZHIYUN Crane3

Interior dimensions L22.0" x W17.0" x H8.2"
L559mm x W432mm x H208mm

Exterior dimensions L25.1" x W19.9" x H8.8"
L638mm x W505mm x H224mm

Weight (with foam) 12.7 lbs | 5.8 kg

Lid depth 2.1" | 53mm

Base depth 6.1" | 155mm

Available colors

ORGANIZED LIKE **A PRO**

NEW

920 PRO PHOTO KIT

Interior dimensions L15.0" × W10.5" × H6.2"
L381 mm ×W267 mm × H157 mm

Exterior dimensions L16.7" × W13.4" × H6.8"
L424 mm × W340 mm × H173 mm

Weight 7.99 lbs | 3.6 kg

Lid depth 2.1" | 53 mm

Base depth 4.1" | 104 mm

Available colors

NEW

930 PRO PHOTO KIT

Interior dimensions L18.0" x W13.0" x H6.9"
L457mm x W330mm x H175mm

Exterior dimensions L19.8" x W16.0" x H7.6"
L503mm x W406mm x H193mm

Weight 11.43 lbs | 5.18 kg

Lid depth 2.1" | 53mm

Base depth 4.8" | 121mm

Available colors

NEW

933 PRO PHOTO KIT

Interior dimensions L18.0" x W13.0" x H9.5"
L457mm x W330mm x H241mm

Exterior dimensions L19.9" x W16.1" x H10.1"
L505mm x W409mm x H257mm

Weight (with foam) 12.93 lbs | 5.86 kg

Lid depth 2.1" | 53mm

Base depth 7.3" | 185mm

Available colors

NEW

935 PRO PHOTO KIT

Interior dimensions L20.5" x W11.3" x H7.5"
L521mm x W287mm x H191mm

Exterior dimensions L22.0" x W14.0" x H9.0"
L559mm x W356mm x H229mm

Weight 16.05 lbs | 7.3 kg

Lid depth 2.1" | 53mm

Base depth 5.4" | 137mm

Available colors

NEW

945 PRO PHOTO KIT

Interior dimensions L22.0" x W17.0" x H8.2"
L559mm x W432mm x H208mm

Exterior dimensions L25.1" x W19.9" x H8.8"
L638mm x W505mm x H224mm

Weight 17.52 lbs | 7.95 kg

Lid depth 2.1" | 53mm

Base depth 6.1" | 155mm

Available colors

NEW

960 PRO PHOTO KIT

Interior dimensions L22.0" x W17.0" x H12.9"
L559mm x W432mm x H328mm

Exterior dimensions L25.4" x W20.0" x H14.5"
L645mm x W508mm x H368mm

Weight 28.96 lbs | 13.14 kg

Lid depth 2.1" | 53mm

Base depth 10.8" | 274mm

Available colors

FIREARMS
CASE SERIES

909 Classic + Glock®

Interior dimensions L11.4" x W7.0" x H3.7"
L291 mm ×W178 mm x H93 mm

Exterior dimensions L12.6" x W9.0" x H4.4"
L321 mm x W229 mm x H111 mm

Weight (with foam) 2.4 lbs | 1.1 kg

Lid depth 1.3" | 33 mm

Base depth 2.4" | 60 mm

Available colors

909 Cubed Foam

Interior dimensions L11.4" x W7.0" x H3.7"
L291 mm ×W178 mm x H93 mm

Exterior dimensions L12.6" x W9.0" x H4.4"
L321 mm x W229 mm x H111 mm

Weight (with foam) 2.4 lbs | 1.1 kg

Lid depth 1.3" | 33 mm

Base depth 2.4" | 60 mm

Available colors

910 2-Up Classic + Glock®

Interior dimensions L13.2" x W9.2" x H4.1"
L336mm x W234mm x H104mm

Exterior dimensions L14.3" x W11.1" x H4.7"
L363mm x W282mm x H120mm

Weight (with foam) 3.5 lbs | 1.6 kg

Lid depth 1.3" | 33mm

Base depth 2.8" | 71mm

Available colors

NEW

918 3-Up Revolver Case

Interior dimensions L14.9" x W9.8" x H8.6"
L378mm x W249mm x H218mm

Exterior dimensions L16.9" x W12.9" x H9.3"
L429mm x W328mm x H236mm

Weight (with foam) 7.2 lbs | 3.3 kg

Lid depth 2.1" | 53mm

Base depth 6.5" | 165mm

Available colors

925 4-Up

Interior dimensions L17.0" x W11.8" x H6.4"
L432mm x W300mm x H163mm

Exterior dimensions L18.7" x W14.8" x H7.0"
L475mm x W376mm x H178mm

Weight (with foam) 7.2 lbs | 3.3 kg

Lid depth 2.1" | 53mm

Base depth 4.3" | 108mm

Available colors

935 6-Up

Interior dimensions L20.5" x W11.3" x H 7.5"
L521mm x W287mm x H191mm

Exterior dimensions L22.0" x W14.0" x H9.0"
L559mm x W356mm x H229mm

Weight (with foam) 11.6 lbs | 5.3 kg

Lid depth 2.1" | 53mm

Base depth 5.4" | 137mm

Available colors

985 Cubed Foam

Interior dimensions L36.6" x W14.5" x H6.0"
L930mm x W368mm x H152mm

Exterior dimensions L39.8" x W17.3" x H6.6"
L10106mm x W440mm x H168mm

Weight (with foam) 18.04 lbs | 8.11 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

NEW

985 AR15

Interior dimensions L36.6" x W14.5" x H6.0"
L930mm x W368mm x H152mm

Exterior dimensions L39.8" x W17.3" x H6.6"
L10106mm x W440mm x H168mm

Weight (with foam) 18.04 lbs | 8.11 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

NEW

985 TAKEDOWN

Interior dimensions L36.6" x W14.5" x H6.0"
L930mm x W368mm x H152mm

Exterior dimensions L39.8" x W17.3" x H6.6"
L10106mm x W440mm x H168mm

Weight (with foam) 17.97 lbs | 8.15 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

990 Cubed Foam

Interior dimensions L44.0" x W14.5" x H6.0"
L1118mm x W368mm x H152mm

Exterior dimensions L47.1" x W17.3" x H6.6"
L1196mm x W440mm x H168mm

Weight (with foam) 21.6 lbs | 9.8 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

990 AR15

Interior dimensions L44.0" x W14.5" x H6.0"
L1118mm x W368mm x H152mm

Exterior dimensions L47.1" x W17.3" x H6.6"
L1196mm x W440mm x H168mm

Weight (with foam) 21.6 lbs | 9.8 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

995 Cubed Foam

Interior dimensions L52.0" x W14.5" x H6.0"
L1321mm x W368mm x H152mm

Exterior dimensions L55.1" x W17.3" x H6.6"
L1399mm x W440mm x H168mm

Weight (with foam) 21.6 lbs | 9.8 kg

Lid depth 1.6" | 41mm

Base depth 4.4" | 111mm

Available colors

OUTDOORS
CASE SERIES

NEW **903** First Aid Case

Interior dimensions	L7.4” x W4.9” x H3.1” L188 mm xW124 mm x H79 mm
Exterior dimensions	L9.1” x W6.8” x H3.8” L231 mm x W173 mm x H97 mm
Weight (with foam)	1.3 lbs | 0.6 kg
Lid depth	0.5” | 13 mm
Base depth	2.6” | 66 mm
Available colors	

NEW **904** First Aid Case

Interior dimensions	L8.4” x W6.0” x H3.7” L213 mm xW152 mm x H94 mm
Exterior dimensions	L10.2” x W7.9” x H4.5” L259 mm x W201 mm x H114 mm
Weight (with foam)	1.6 lbs | 0.7 kg
Lid depth	0.8” | 20 mm
Base depth	2.9” | 74 mm
Available colors	

NEW **909** 8-Knife Case

Interior dimensions	L11.4” x W7.0” x H3.68” L291mm x W178mm x H93mm
Exterior dimensions	L12.6” x W9.0” x H4.38” L321mm x W229mm x H111mm
Weight (with foam)	2.6 lbs | 1.18 kg
Lid depth	1.3” | 33mm
Base depth	2.37” | 60mm
Available colors	

NEW **915** Kayak Case

Interior dimensions	L13.8” x W9.3” x H6.2” L351mm x W236mm x H157mm
Exterior dimensions	L15.8” x W12.1” x H6.8” L401mm x W307mm x H173mm
Weight (with foam)	4.4 lbs | 2.0 kg
Lid depth	2.1” | 53mm
Base depth	4.1” | 104mm
Available colors	

CASE
ACCESSORIES

Case accessories

The only thing that can make our cases even better is accessories. Our cases are designed to protect your investment and to help you get the most out of your case we offer easy to install accessories. Whether you need added protection on the inside of the case with our foam and divider options or need to protect your contents during the journey with a TSA padlock, we have the accessories you need.

Cubed foam

Made of high quality polyurethane foam, the multi-layered set of customizable inserts includes a pre-scored removable layer. This layer consists of foam squares that can be removed in various configurations to accommodate the contents of the case. This solution is ideal if you are seeking a quick and easy way to protect and organize your items.

| measure

| remove

| protect

TSA PowerClaw latch retrofit kit

We found a way to make our patented PowerClaw latches even better! They are now available with an integrated TSA accepted key lock. The easy to install retrofit kit can be installed on many* NANUK™ cases and adds another layer of security to your case. Each lock has a special code TSA001 to TSA003, which is used by the TSA, CATSA and other security agencies to know which secure tool to use to open the lock. TSA accepted latches are the perfect accessory for storing, securing and protecting valuable items at home, on the job site and in your vehicle.

*Compatible with the following NANUK™ cases:

908 | 918 | 920 | 925 | 933 | 935 | 940 | 945 | 950 | 960

EACH KIT CONTAINS:

2x TSA Powerclaw latches
2x Coded TSA keys
4x installation pins (2x short, 2x long)

Padded dividers

If you require compartmentalized protective organization of your components or equipment, our padded dividers are the right choice. Easily tailored to your needs with repositionable tongue and groove fasteners, our padded dividers are designed to easily organize and protect your equipment.

*Available for NANUK™ 905 – 960 cases.

Waterproof panel kit

A panel kit can easily be added to most of our NANUK™ cases thanks to an integrated panel mount system. Included in our panel kit is a contoured panel with mounting screws and an adhesive backed die-cut gasket. A lid mounted panel kit is available for the 908, 909, 910, 918, 923, 933, 935, 950 and 960 cases. The lid mounted panel kit does not contain a gasket.

*Available for NANUK™ 903 – 960 cases.

910 | Aluminum panel

910 | Lexan panel

Shoulder strap

Our neoprene shoulder strap incorporates Aircell™ comfort technology to reduce fatigue when transporting your case. The shoulder strap can easily be attached to most NANUK™ cases without any additional hardware.

*Compatible with NANUK™ 905 – 945 cases.

TSA padlock

TSA padlocks offer the security of a padlock but can easily be opened and inspected by airport security and then locked again. A visual indicator lets you know when the case has been opened with a TSA key.

*Compatible with NANUK™ 903 – 995 cases.

Shoulder strap

Desiccant container

NANUK™ reusable desiccant containers protect all types of sensitive gear from deterioration, corrosion, mold and other damage caused by moisture or high humidity. Simply place the desiccant container inside the case along with your items. The desiccant container will absorb up to 34% of its own weight in water vapor to rapidly remove moisture and keep your case dry to protect against damage.

Silica gel beads are orange in color when active (dry). The gel beads will gradually change color from orange to green as they absorb moisture. Once the gel beads turn green, they are no longer active and must be heated to remove the accumulated moisture using a conventional oven at 250° F for 3 hours. Avoid overheating while drying. When the color of the gel beads returns to orange, the container is ready to be reused.

Active

Saturated

Lid organizer

The NANUK™ Lid Organizer is the ideal organization and convenience accessory to add to your case. The molded interior is designed to help keep your hardware, power cords and accessories entirely organized and in-view. The lid organizer includes a set of mounting screws for easy, stress-free installation. Features include three zippered and anti-tear compartments of various sizes for lots of gear storage.

*Available for the following NANUK™ cases: 920 | 930 | 933 | 935 | 945 | 955 | 960

Suggested uses:
• Camera accessories • Cables • Gaffer tape • LCD hoods and shades • Video accessories • Lens and body caps • Chargers • Sunglasses • Tools • Light meters • Camera triggers • Memory cards • Cleaning equipment • Microphones • And many other accessories

Zippered & anti-tear compartments

The molded interior has been engineered to protect and maximize gear storage in the case

Keep your hardware and accessories organized

NANUK™ | services

NANUK™ has the in-house ability to develop a project from its initial idea, all the way to a market-ready finished product. Whether it involves printing, custom interiors, or OEM integration, NANUK™ can provide a turnkey solution that is on budget and on time. Make us part of your winning team.

Contact us today and we will show you how we can turn an idea into a success story.

CUSTOMIZE
YOUR CASE

Custom foam interiors

If your application requires a customized interior solution, specifically adapted to the contents of your case, a custom foam interior is the way to go. Let our experienced team of case designers help you optimize the layout of your components to ensure the utmost protection of your products and equipment. We will also ensure that the correct type of foam is used for your application whether it be polyurethane, polyethylene, or EVA.

Custom printing

What better way to make your mark than to have your company's logo or product branding printed in color on our cases? Simply send us your artwork and our experienced graphic designers will work with you to convey your message in the most effective and unique way.

Custom integrated panels

Not just a case: our case designers can help you incorporate your electronic instruments into NANUK™. With our integrated panel system you can take full advantage of our OEM housing solution. Simply provide us with your equipment specifications and we will develop an innovative portable unit tailored specifically to your needs.

Custom colors

NANUK™ protective cases are available in up to 10 colors. Color options range from emergency orange to olive drab allowing you to blend in or stand out, whatever the task entails. If your application requires a custom color to match your logo or brand, our design team can develop the exact color you need based on a color swatch or sample. We know how important it is for your brand to stand out. A NANUK™ case in a custom color may be the perfect solution.

*Minimum quantities required.

OEM integration

Need to add cooling ports or water resistant electrical connectors to the outside of your case? Plasticase's team of designers have the creativity and experience to develop innovative solutions for your mobile workstation requirements. We will analyze your needs and provide expert advice starting from initial design concepts through to production and final assembly.

plasticase NANUK PROFESSIONAL PROTECTIVE CASES | NANUK NANO®

Extreme duty cases | specifications

	Interior dimensions	Exterior dimensions	Weight (empty)	Lid depth	Base depth
310	L5.2" × W3.0" × H1.1" L131mm × W77mm × H28mm	L5.9" × W4.3" × H1.7" L149mm × W110mm × H43mm	0.6 lbs | 0.3 kg	0.2" | 6mm	0.9" | 22mm
320	L5.9" × W3.3" × H1.5" L151mm × W85mm × H39mm	L6.3" × W4.7" × H2.2" L161mm × W118mm × H55mm	0.8 lbs | 0.4 kg	0.3" | 9mm	1.2" | 30mm
330	L6.7" × W3.8" × H1.9" L170mm × W96mm × H49mm	L7.4" × W5.1" × H2.6" L188mm × W130mm × H65mm	1.1 lbs | 0.5 kg	0.5" | 13mm	1.4" | 36mm
903	L7.4" × W4.9" × H3.1" L188mm × W124mm × H79mm	L9.1" × W6.8" × H3.8" L231mm × W173mm × H97mm	1.3 lbs | 0.6 kg	0.5" | 13mm	2.6" | 66mm
904	L8.4" × W6.0" × H3.7" L213mm × W152mm × H94mm	L10.2" × W7.9" × H4.5" L259mm × W201mm × H114mm	1.6 lbs | 0.7 kg	0.8" | 20mm	2.9" | 74mm
905	L9.4" × W7.4" × H5.5" L239mm × W188mm × H140mm	L12.5" × W10.1" × H6.0" L318mm × W257mm × H152mm	3.3 lbs | 1.5 kg	1.4" | 36mm	4.1" | 104mm
908	L9.5" x W7.5" × H7.5" L241mm x W190mm × H190mm	L12.5" x W9.8" x H8.0" L318mm x W249mm x H203mm	3.2 lbs | 1.5 kg	1.4" | 35mm	6.1" | 155mm
909	L11.4" x W7.0" × H3.68" L291mm x W178mm × H93mm	L12.64" x W9.0" x H4.38" L321mm x W229mm x H111mm	2.2 lbs | 1.0 kg	1.3" | 33mm	2.4" | 60mm
910	L13.2" × W9.2" × H4.1" L336mm × W234mm × H104mm	L14.3" × W11.1" × H4.7" L363mm × W282mm × H120mm	3.0 lbs | 1.4 kg	1.3" | 33mm	2.8" | 71mm
915	L13.8" × W9.3" × H6.2" L351mm × W236mm × H157mm	L15.8" × W12.1" × H6.8" L401mm × W307mm × H173mm	4.4 lbs | 2.0 kg	2.1" | 53mm	4.1" | 104mm
918	L14.9" x W9.8" x H8.6" L378mm x W249mm x H218mm	L16.9" x W12.9" x H9.3" L429mm x W328mm x H236mm	6.4 lbs | 2.9 kg	2.1" | 53mm	6.5" | 165mm
920	L15.0" × W10.5" × H6.2" L381mm × W267mm × H157mm	L16.7" × W13.4" × H6.8" L424mm × W340mm × H173mm	5.1 lbs | 2.3 kg	2.1" | 53mm	4.1" | 104mm

plasticase
NANUK
PROFESSIONAL PROTECTIVE CASES

Extreme duty cases | specifications

	Interior dimensions	Exterior dimensions	Weight (empty)	Lid depth	Base depth
923 | 923 Laptop	L16.7" x W11.3" x H5.4" L424mm x W287mm x H137mm	L18.6" x W14.4" x H6.3" L472mm x W366mm x H160mm	5.9 lbs | 2.7 kg	1.8" | 46mm	3.6" | 91mm
925	L17.0" × W11.8" × H6.4" L432mm × W300mm × H163mm	L18.7" × W14.8" × H7.0" L475mm × W376mm × H178mm	6.2 lbs | 2.8 kg	2.1" | 53mm	4.3" | 108mm
930	L18.0" × W13.0" × H6.9" L457mm × W330mm × H175mm	L19.8" × W16.0" × H7.6" L503mm × W406mm × H193mm	7.1 lbs | 3.2 kg	2.1" | 53mm	4.8" | 121mm
933	L18.0" × W13.0" × H9.5" L457mm × W330mm × H241mm	L19.9" × W16.1" × H10.1" L505mm × W409mm × H257mm	8.0 lbs | 3.6 kg	2.1" | 53mm	7.4" | 188mm
935	L20.5" × W11.3" × H7.5" L521mm × W287mm × H191mm	L22.0" × W14.0" × H9.0" L559mm × W356mm × H229mm	11.6 lbs | 5.3 kg	2.1" | 53mm	5.4" | 137mm
940	L20.0" × W14.0" × H8.0" L508mm × W356m × H203mm	L21.7" × W16.9" × H8.5" L557mm × W429mm × H216mm	8.4 lbs | 3.8 kg	2.1" | 53mm	5.9" | 150mm
945	L22.0" × W17.0" × H8.2" L559mm × W432mm × H208mm	L25.1" × W19.9" × H8.8" L638mm × W505mm × H224mm	10.6 lbs | 4.8 kg	2.1" | 53mm	6.1" | 155mm
950	L20.5" × W15.3" × H10.1" L521mm × W389mm × H257mm	L22.8" × W18.3" × H11.7" L579mm × W465mm × H297mm	15.1 lbs | 6.8 kg	2.1" | 53mm	8.0" | 203mm
955	L22.0" × W17.0" × H10.2" L559mm × W432mm × H259mm	L25.6" × W20.0" × H11.8" L650mm × W508mm × H368mm	18.4 lbs | 8.16 kg	2.1" | 53mm	8.1" | 206mm
960	L22.0" × W17.0" × H12.9" L559mm × W432mm × H328mm	L25.4" × W20.0" × H14.5" L645mm × W508mm × H368mm	19.2 lbs | 8.7 kg	2.1" | 53mm	10.8" | 274mm
963	L29.0" × W18.0" × H10.6" L737mm × W457mm × H269mm	L32.5" × W21.0 × H12.3" L826mm × W533mm × H312mm	TBD	2.1" | 53mm	8.5" | 216mm
965	L29.0" × W18.0" × H14.0" L737mm × W457mm × H356mm	L32.5" × W21.0" × H15.8" L826mm × W533mm × H401mm	TBD	2.1" | 53mm	11.9" | 302mm

For more details visit **nanuk.com**

plasticase NANUK PROFESSIONAL PROTECTIVE CASES

Extreme duty cases | specifications

	Interior dimensions	Exterior dimensions	Weight (empty)	Lid depth	Base depth
968	L21.5" x W21.5" x H11.8" L546mm x W546mm x H300mm	L25.0" x W24.7" x H13.6" L610mm x W627mm x H345mm	TBD	2.3" | 58mm	9.5" | 241mm
970	L24.0" × W24.0" × H16.0" L610mm × W610mm × H361mm	L27.5" × W27.2" × H16.0" L699mm × W691mm × H406mm	TBD	2.3" | 58mm	11.9" | 302mm
985	L36.63" × W14.5" × H6.0" L930mm × W368mm × H152mm	L39.75" × W17.31" × H6.63" L1010mm × W440mm × H168mm	15.8 lbs | 7.2kg	1.6" | 41mm	4.4" | 112mm
990	L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm	L47.1" × W17.3" × H6.6" L1196mm × W440mm × H168mm	17.8 lbs | 8.1 kg	1.6" | 41mm	4.4" | 111mm
995	L52.0" × W14.5" × H6.0" L1321mm × W368m × H152mm	L55.1" × W17.3" × H6.6" L1399mm × W440mm × H168mm	21.6 lbs | 9.8 kg	1.6" | 41mm	4.4" | 111mm

Plasticase inc.
1059 Boulevard des Entreprises Ouest
Terrebonne, Québec, Canada J6Y 1V2

T. 450.628.1006 | 1.800.783.6883
F. 450.628.7801 | 1.888.783.6883
E. info@plasticase.com
Skype: sales.plasticase

NANUK EU B.V.
NANUK Europe
Burg. J.G. Legroweg 96
9761TD Eelde,
The Netherlands

T. +31 50 3128694
E. info@nanuk.eu

plasticase

nanuk.com